



RESOLUTION 2022-47

RESOLUTION TO ADOPT THE 2018 INTERNATIONAL BUILDING CODES (IBC) BY REFERENCE

WHEREAS, Tennessee Code Annotated § 5-20-101 authorizes the governing body of any Tennessee County, to adopt building, plumbing, mechanical, fuel gas, and other related model codes by reference, which hereafter are referred to as “The Codes”; and

WHEREAS, the Bradley County Commission finds it necessary for the health, safety, and welfare of the citizens of Bradley County that the building codes be updated and adopted to remain compliant with the State of Tennessee and that required inspections of the construction process be completed; and

WHEREAS, pursuant to Tennessee Code Annotated § 5-20-102(b) there must be one copy of the referenced code documents filed in the office of the county clerk and said copies must be kept there for public inspection for ninety (90) days before adoption; and

WHEREAS, copies of the 2018 International Building Codes to be adopted by reference were placed in the County Clerk’s Office on May 17, 2022; and

WHEREAS, the Bradley County Commission, meeting in regular session at Cleveland Tennessee, on this 15th day of August, 2022, has chosen to adopt the Codes, as amended, and as listed below and published by: INTERNATIONAL CODE COUNCIL, INC., 500 NEW JERSEY AVENUE, NW, 6TH FLOOR, WASHINGTON, DC 20001, and other agencies, as described below:

2018 INTERNATIONAL BUILDING CODE (IBC) Including the following appendices.

A – Employee Qualifications; **B** – Board of Appeals; **C** – Group U-Agricultural Buildings; **F** – Rodent Proofing; **G** – Flood-Resistant Construction; **H** – Signs; **J** – Grading; **N** – Replicable Buildings.

And shall be amended as follows:

Section 101.1 – Insert “Bradley County TN” to replace [Name of Jurisdiction]

Section 101.4.4 – “Property Maintenance” Delete Entirely

Section 102.6.2 – Delete the following “or International Property Maintenance Code” (and all mentions of Property Maintenance throughout this code)

Section 105.1.1 – Annual Permit Delete Entirely

Section 105.1.2 – Annual Permit Records Delete Entirely.

Section 502 – Building Address Delete entirely and replace with the following.

Construction sites, buildings, and individual units of a multi-tenant building shall be provided with *approved* address identification. The address identification shall be legible and placed in a position that is visible from the street or road fronting or accessing the property and be discernible from any direction of travel. Address

identification characters shall contrast with their background and be legible. Address characters shall be Arabic numbers and shall not be spelled out. Each character shall be not less than 4 inches (102 mm) in height with a stroke width of not less than 0.5 inches (12.7 mm). Where required by the fire code official, address identification shall be provided in additional *approved* locations to facilitate emergency response. Where access is by means of a private road and the building address cannot be viewed from the public way, a monument, pole, or other signage or means shall be used to identify the structure and/or the entrance access. If more than one structure is located on a private road or trail, address markers with arrows of equal dimensions as above shall be provided at each turn or fork of the access road to permanently identify the direction of travel to a structures' location. Temporary address identification shall be maintained from the start of construction and be made permanent upon completion. All completed structures are to have the address displayed as listed above whether they receive U.S.P.S. mail or not. The U.S.P.S. mailbox shall not fulfil these requirements.

Section 1612.3 – Insert “Bradley County TN” to replace [Name of Jurisdiction]

Section 1612.3 – Insert “February 2017” to replace [Date of Issuance]

Chapter 27 – Electrical – Electrical Inspections are required by the State of Tennessee and the City of Cleveland. Said, inspections are performed by each entity and any conflicts should reference the currently adopted edition of NFPA 70 (*National Electric Code*).

Appendix G G102.02 – Insert “February 2017”; to replace [Insert Date]

2018 INTERNATIONAL RESIDENTIAL CODE (IRC) Building Code for One and Two-Family Dwellings and Townhomes. *Including the following appendices.*

Appendix Q – Tiny Houses

And shall be amended as follows

Section R101.1 Title – Insert “Bradley County TN” to replace [Name of Jurisdiction]

Section R102.7 – Delete “the International Property Maintenance Code or”

Section R105.2 – Building 1., Replace “200 Square feet (18.58 m²)” with “30 square feet (2.79 m²)”

Section R105.2 – Building 10., Replace “200 Square feet (18.58 m²)” with “30 square feet (2.79 m²)”

Section R105.2 – Electrical 1 – 5 To be governed by NFPA 70 (*National Electric Code*), the City of Cleveland and/or The State of Tennessee Electrical inspections department.

Table R301.2(1) Climatic and Geographic Design Criteria – Insert the following information into the table and add footnote “p.” *Calculations are to be made by a design professional and submitted for approval by the Building Official.*

- Ground Snow Load "10"
- Wind Design, Speed "115" mph
- Wind Design, Topographic Effect "No"
- Wind Design, Special Wind Region “No”
- Wind Design, Windborne debris Zone “No”
- Seismic Design Category "C"
- Weathering "Moderate to Severe"

- Frost Line Depth "12 Inches"
- Termite Protection "Yes"
- Winter Design Temperature "18° F"
- Ice Barrier Underlayment Required "No"
- Flood Hazards "See current FIRM Map"
- Air Freeze Index "1500 or less"
- Mean Annual Temperature "58.8° F"

Manual J Design Criteria

- Elevation "843"
- Latitude "35"
- Winter Heating "18° F"
- Summer Cooling "93° F"
- Altitude Correction Factor "0.98"
- Indoor Design Temperature "70° F/Heating – 75° F/Cooling"
- Design Temperature Cooling "93° F"
- Heating Temperature Difference "Footnote p"
- Cooling Temperature Difference "Footnote p"
- Wind Velocity Heating "Footnote p"
- Wind Velocity Cooling "Footnote p"
- Coincident Wet Bulb "73° F"
- Daily Swing Range "M"
- Winter Humidity "Footnote p"
- Summer Humidity "Footnote p"

Figure R301.2(2) – Seismic Design Categories is to be deleted and replaced with figure **R301.2(2) Seismic Design Categories Site Class D From the 2015 IRC.** (*Bradley County is to be classified as being in the "Seismic Design Category 'C'.*)

Pursuant to Tennessee Code Annotated §68-120-101(a)(8), The following changes are to be made in Section R313.

Section R313.1 – Delete and replace the wording with the following:

Townhouse automatic fire sprinkler systems. An automatic residential fire sprinkler system shall be installed in *townhouses* with five or more single-family dwellings attached together. And may be installed in units with four or fewer attached single-family dwellings but is not mandatory.

Section R313.2 – Delete and replace the wording with the following:

One and two-family dwellings automatic fire sprinkler systems. An automatic residential fire sprinkler system may be installed in one and two-family *dwellings* but is not mandatory.

Section R314.6 – Add Exception number 3.

Exception 3. Interconnection and hardwiring of smoke alarms in existing areas shall not be required where the alterations or repairs do not result in the removal of interior walls or ceiling finishes exposing the structure unless there is an attic, crawl space, or basement available that could provide access for interconnection without the removal of interior finishes.

Section R319.1 – Address Identification. Delete the section entirely and replace with the following.

Construction sites, buildings, and individual units of a multi-tenant building shall be provided with *approved* address identification. The address identification shall be legible and placed in a position that is visible from

the street or road fronting or accessing the property and be discernible from any direction of travel. Address identification characters shall contrast with their background and be legible. Address characters shall be Arabic numbers and shall not be spelled out. Each character shall be not less than 4 inches (102 mm) in height with a stroke width of not less than 0.5 inches (12.7 mm). Where required by the fire code official, address identification shall be provided in additional *approved* locations to facilitate emergency response. Where access is by means of a private road and the building address cannot be viewed from the public way, a monument, pole, or other signage or means shall be used to identify the structure and/or the entrance access. If more than one structure is located on a private road or trail, address markers with arrows of equal dimensions as above shall be provided at each turn or fork of the access road to permanently identify the direction of travel to a structures' location. Address identification shall be maintained from the start of construction and be made permanent upon completion. All completed structures are to have the address posted as listed above whether they receive U.S.P.S. mail or not. The U.S.P.S. mailbox shall not fulfil these requirements.

Part IV - Energy Conservation, (Chapter 11) is to be amended as follows.

Table N1102.1.2 (R402.1.2) Insulation and Fenestration Requirements by Component – Delete in its entirety along with footnotes and replace with **Table N1102.1 (402.1.1) Insulation and Fenestration Requirements by Component** from the 2009 IRC with footnotes.

Table N1102.1 (402.1.1) Insulation and Fenestration Requirements by Component – (2009 IECC), add the following Footnotes “l” and “m”

“l” - “Log walls complying with ICC400 and with a minimum average wall thickness of 5” or greater shall be permitted in Zone 3 when a Fenestration U-Factor of .50 or lower is used, a Skylight U-Factor of .65 or lower is used, a Glazed Fenestration SHGC of .30 or lower is used, a 90 AFUE Furnace is used, an 85 AFUE Boiler is used, or a 9.0 HSPF Heat Pump (heating) and 15 SEER (cooling) are used.”

“m” - “Log walls complying with ICC400 and with a minimum average wall thickness of 5” or greater shall be permitted in Zone 4 when a Fenestration U-Factor of .35 or lower is used, a Skylight U-Factor of .60 or lower is used, a 90 AFUE Furnace is used, an 85 AFUE Boiler is used, or a 9.0 HSPF Heat Pump (heating) and 15 SEER (cooling) are used.”

Section N1102.4.1.2 (R402.4.1.2) Testing, insert a **New Section N1102.4.1.3 (R402.4.1.3) Visual inspection option (Reference from the 2009 IECC.)** Building envelope tightness and insulation installation shall be considered acceptable when the items listed in Table N1102.4.1.1 (R402.4.1.1) are applicable to the method of construction and are field verified. Where required by the *code official*, an *approved* party independent from the installer of the insulation shall inspect the air barrier and insulation.

Section N1102.4.4 (R402.4.4) Rooms Containing Fuel-Burning Appliances is deleted in its entirety.

Section N1103.1.1 (R403.1.1) Programmable thermostat. Insert **(Optional)**

Section N1103.1.2 (R403.1.2) Heat pump supplementary heat (Mandatory) - Delete **(Mandatory)** and insert **(Optional)**

Section N1103.3.3 (R403.3.3) Duct Testing (Mandatory) - Delete **(Mandatory)** and insert **(Optional)**

Section N1103.3.4 (R403.3.4) Duct Leakage (Prescriptive) - Delete **(Prescriptive)** and insert **(Optional)**

Section P2603.5.1 – Insert “**12 inches**” into two locations to replace **[Number]**.

Part VIII – Electrical, (Chapters 34 – 43) Electrical Inspections are required by the State of Tennessee and the City of Cleveland. Said, inspections are performed by each entity and any conflicts should reference the currently adopted edition of NFPA 70. (*National Electric Code*)

2018 INTERNATIONAL ENERGY CONSERVATION CODE (IECC) – (*This code is divided into two sections. Commercial and Residential. Commercial sections are prefixed as C101.1 etc. and the residential section is prefixed as R101.1 etc.*)

IECC – Commercial Provisions – Energy Conservation is to be amended as follows.

C101.1 Title. - Insert “**Bradley County TN**”; to replace [Name of Jurisdiction]

IECC – Residential Provisions – Energy Conservation is to be amended as follows.

R101.1 Title. - Insert “**Bradley County TN**”; to replace [Name of Jurisdiction]

Table R402.1.2 Insulation and Fenestration Requirements by Component – Delete in its entirety along with footnotes and replace with **Table 402.1.1 Insulation and Fenestration Requirements by Component** From the 2009 IECC with footnotes.

Table R402.1.1 Insulation and Fenestration Requirements by Component – (2009 IECC) add the following Footnotes “l” and “m”

“l” - “Log walls complying with ICC400 and with a minimum average wall thickness of 5” or greater shall be permitted in Zone 3 when a Fenestration U-Factor of .50 or lower is used, a Skylight U-Factor of .65 or lower is used, a Glazed Fenestration SHGC of .30 or lower is used, a 90 AFUE Furnace is used, an 85 AFUE Boiler is used, or a 9.0 HSPF Heat Pump (heating) and 15 SEER (cooling) are used.”

“m” - “Log walls complying with ICC400 and with a minimum average wall thickness of 5” or greater shall be permitted in Zone 4 when a Fenestration U-Factor of .35 or lower is used, a Skylight U-Factor of .60 or lower is used, a 90 AFUE Furnace is used, an 85 AFUE Boiler is used, or a 9.0 HSPF Heat Pump (heating) and 15 SEER (cooling) are used.”

Section R402.4.1.2 Air Leakage - Testing, insert a **New Section R402.4.1.3 Visual inspection option** (*Reference from the 2009 IECC.*) Building envelope tightness and insulation installation shall be considered acceptable when the items listed in Table R402.4.1.1 are applicable to the method of construction and are field verified. Where required by the *code official*, an *approved* party independent from the installer of the insulation shall inspect the air barrier and insulation

Section R402.4.4 Rooms Containing Fuel-Burning Appliances is deleted in its entirety.

Section R403.1.1 Programmable thermostat. Insert (**Optional**)

Section R403.1.2 Heat pump supplementary heat (Mandatory) - Delete (**Mandatory**) and insert (**Optional**)

Section R403.3.3 Duct Testing (Mandatory) - Delete (**Mandatory**) and insert (**Optional**)

Section R403.3.4 Duct Leakage (Prescriptive) - Delete (**Prescriptive**) and insert (**Optional**)

2018 INTERNATIONAL PLUMBING CODE (IPC) *Including the following appendix*

E – Sizing of Water Piping System *(Which is to be used in the absence of a design professionals' calculations.)*

And with the following amendments.

Section [A] 101.1 Title – Insert “*Bradley County TN*” to replace [Name of Jurisdiction]

Section [A] 106.6.2 Fee Schedule – Insert “**See Plumbing Permit – Fee Schedule P**” to replace [Jurisdiction to insert Appropriate Schedule]

Section [A] 106.6.3(2) Fee Refunds Insert “**Fifty Percent (50%)**” to replace [Specify Percentage]

Section [A] 106.6.3(3) Fee Refunds Insert “**Fifty Percent (50%)**” to replace [Specify Percentage]

Section [A] 108.4 Violation Penalties – Insert “**Class C Misdemeanor**” in [Specify Offense]; Insert **\$50.00** in [Amount]; Insert – 30 in [Number of Days]

Section [A] 108.5 Stop Work Orders – Insert “**\$50.00**” to replace the first [Amount] and “**\$500.00**” in the second [Amount].

Section 305.4.1 Sewer Depth – Insert “**12**” to replace the first [Number] and “**12**” to replace the second [Number]

Section 903.1 Roof Extension – Insert “**12**” to replace [Number]

2018 INTERNATIONAL MECHANICAL CODE (IMC) *With the following amendments.*

Section [A] 101.1 Title – Insert “*Bradley County TN*” to replace [Name of Jurisdiction]

Section [A] 106.5.2 Fee Schedule – Insert “**See Mechanical Permit – Fee Schedule M**” to replace [Jurisdiction to insert Appropriate Schedule]

Section [A] 106.5.3 Fee Refunds – (2) Insert “**Fifty Percent (50%)**” to replace [Specify Percentage]

Section [A] 106.5.3 Fee Refunds – (3) Insert “**Fifty Percent (50%)**” to replace [Specify Percentage]

Section [A] 108.4 Violation Penalties – Insert “**Class C Misdemeanor**” in [Specify Offense]; Insert **\$50.00** in [Amount]; Insert 30 in [Number of Days]

Section [A] 108.5 Stop Work Orders – Insert “**\$50.00**” to replace the first [Amount] and “**\$500.00**” in the second [Amount].

2018 INTERNATIONAL FUEL GAS CODE (IFGC) *With the following amendments.*

(Appendices are to be used as commentary and examples only.)

Section [A] 101.1 Title – Insert “*Bradley County TN*” to replace [Name of Jurisdiction]

Section [A] 106.6.2 Fee Schedule – Insert “**See Fuel Gas Permit – Fee Schedule FG**” to replace [Jurisdiction to insert Appropriate Schedule]

Section [A] 106.6.3 Fee Refunds – (2) Insert “**Fifty Percent (50%)**” to replace [Specify Percentage]

Section [A] 106.6.3 Fee Refunds – (3) Insert “**Fifty Percent (50%)**” to replace [Specify Percentage]

Section [A] 108.4 Violation Penalties – Insert “**Class C Misdemeanor**” in [Specify Offense]; Insert **\$50.00** in [Amount]; Insert 30 [Number of Days]

Section [A] 108.5 Stop Work Orders – Insert “\$50.00” to replace the first [Amount] and “\$500.00” in the second [Amount].

2018 INTERNATIONAL EXISTING BUILDING CODE (IEBC) *With the following amendments.*

Section [A] 101.1 Title – Insert “Bradley County TN” to replace [Name of Jurisdiction]

Section [A] 108.2 Schedule of Permit Fees – Fees shall be calculated on the same scale as **Building Permits – Fee Schedule B**, when a permit is required.

2018 NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)
1 Batterymarch Park, Quincy, Massachusetts, USA 02169-7471

2018 NFPA 1 Fire Code

2018 NFPA 101 Life Safety Code

2010 AMERICANS WITH DISABILITIES ACT (aka ADA) STANDARDS FOR ACCESSIBLE DESIGN Titles II and III, Prepared by the United States Department of Justice, 950 Pennsylvania Avenue NW, Washington, DC 20530-0001

This is free to view and download from this website https://www.ada.gov/ada_intro.htm and as such is adopted in its entirety. (*The ICC A117.1 – 2017 Standard for Accessible and Usable Buildings and Facilities*, will be an acceptable alternative to the ADA Standard.)

The following publications are to be used as guidelines and references only and are not meant to be enforceable, except where they are referenced in the above codes.

ICC G5-2019 Guideline for the Safe Use of IO Intermodal Shipping Containers Repurposed as Buildings and Building Components – Published by International Code Council (ICC)

ICC 400-2022 Standard on the Design and Construction of Log Structures – Published by American National Standards Institute in Conjunction with International Code Council (ICC)

Applying the Codes to Cannabis Facilities – Published by the International Code Council (ICC)

2022 - Standard for the Installation of Sprinklers Systems in One- and Two-Family Dwellings and Manufactures Homes – Published by National Fire Protection Association (NFPA)

2014 ICC 500-2014 ICC/NSSA Standard for the Design and Construction of Storm Shelters published by International Code Council (ICC) in cooperation with National Storm Shelter Association (NSSA)

PERMIT FEE SCHEDULES

- **Building Permits – Fee Schedule B**
- **Existing Buildings – Fee Schedule B** (*When Permits are Required*)
- **Plumbing Permits – Fee Schedule P**
- **Mechanical Permits – Fee Schedule M**
- **Fuel Gas Permits – Fee Schedule FG**

SCHEDULE 'B'

Building Permit Fees

2018 Codes Adoption

Permit fees are to be determined by valuation of the job provided by applicant for all construction listed below, with the exception of those listed under the per job fees.

TOTAL VALUATION	FEE'S
\$1,000 and less	\$50.00
\$1,001 to \$50,000	\$50.00 for the first \$1,000 plus \$3.50 for each additional thousand to and including \$50,000
\$50,001 to \$100,000	\$221.50 for the first \$50,000 plus \$3.00 for each additional thousand to and including \$100,000
\$100,001 to \$500,000	\$371.50 for the first \$100,000 plus \$2.00 for each additional thousand to and including \$500,000
\$500,001 to \$1,000,000	\$1,171.50 for the first \$500,000 plus \$1.50 for each additional thousand to and including \$1,000,000
\$1,000,001 up	\$1,921.50 for the first \$1,000,000 plus \$1.00 for each additional thousand over

BUILDING MOVING FEE - For the moving of any building or structure the fee shall be \$100.00

DEMOLITION FEE - For the demolition of any residential structure the fee shall be \$100.00

Commercial building's, of 5,000 square feet or less the fee shall be \$150.00 plus \$10.00 per each 1,000 square feet over the original 5,000 square feet.

MANUFACTURED/MOBILE HOME PERMITS	\$50.00 - PER UNIT
COMMERICAL CHICKEN HOUSE PERMITS	\$50.00 - PER HOUSE
BARN (AGRICULTURAL USE ONLY)	Permit Required - NO FEE
TENT (FOR RELIGIOUS OR OTHER EVENTS)	No Permit Required
CAMPER PERMITS	\$50.00
STANDARD AMUSEMENT DEVISE PERMITS	\$150.00 - PER SITE SET-UP
PORTABLE STORAGE BUILDING'S	BASED ON VALUATION TABLE (Above)
METAL CARPORT'S and GARAGE'S	BASED ON VALUATION TABLE (Above)
SIGNAGE	BASED ON VALUATION TABLE (Above)
TEMPORARY CERTIFICATE OF OCCUPANCY	\$50.00 (over and above the permit fee)

PENALTIES

- **RE-INSPECTION FEE** - \$25.00
- Where work for which a permit is required by code is commenced before the permit has been obtained, the specified fees shall be doubled. The payment of double fees shall not relieve any persons from fully complying with the requirements of the codes in the execution of the work nor from any other penalties prescribed herein.

SCHEDULE "FG"

Fuel Gas Permit Fees

2018 Codes Adoption

Fuel Gas permit fees are to be determined by minimum permit fee plus the number of installed Fuel Gas Appliances

(Fuel Gas Permits are only issued when either no mechanical/HVAC work is done, or a different entity installs the fuel gas system.)

TYPE	FEE'S
Minimum Permit Fee	\$25.00 Minimum Permit Fee
Installed Gas Appliance	\$5.00 per appliance

PENALTIES

- *RE-INSPECTION FEE - \$25.00*
- *Where work for which a permit is required by code is commenced before the permit has been obtained, the specified fees shall be doubled. The payment of double fees shall not relieve any persons from fully complying with the requirements of the codes in the execution of the work nor from any other penalties prescribed herein.*

SCHEDULE 'M'
Mechanical / HVAC Permit Fees
2018 Codes Adoption

Mechanical and HVAC (Including Mini-Split Units) permit fees are to be determined by the valuation of the job cost

TYPE	FEE'S
\$0.01 up to \$1,000.00	\$25.00 for the first \$1,000.00 plus.
\$1,001.00 and up	\$2.00 per thousand and for each fraction thereafter.

PENALTIES

- *RE-INSPECTION FEE - \$25.00*
- *Where work for which a permit is required by code is commenced before the permit has been obtained, the specified fees shall be doubled. The payment of double fees shall not relieve any persons from fully complying with the requirements of the codes in the execution of the work nor from any other penalties prescribed herein.*

SCHEDULE ‘P’
Plumbing Permit Fees
2018 Codes Adoption

Plumbing permit fees are determined by the number and types of fixtures which are to be installed.

TYPE FIXTURES TO BE INSTALLED	FEE’S
• Minimum Permit Fee	\$15.00
• Water Closet (Toilet/Bidet)	\$3.00
• Tub and/or Shower Combinations	\$3.00
• Sinks – Bath, Kitchen, and Bar	\$3.00
• Dishwasher	\$3.00
• Clothes Washing Machine	\$3.00
• Water Heater	\$6.00
• Exterior Hose Bibb	\$3.00
• Urinal	\$3.00
• Drinking Fountain	\$3.00
• Floor Drain	\$3.00
• Utility / Mop Sink (not included above)	\$3.00
• Water Connection	\$6.00
• Septic / Sewer Connection	\$6.00

PENALTIES

- *RE-INSPECTION FEE - \$25.00*
- *Where work for which a permit is required by code is commenced before the permit has been obtained, the specified fees shall be doubled. The payment of double fees shall not relieve any persons from fully complying with the requirements of the codes in the execution of the work nor from any other penalties prescribed herein.*

WHEREAS, within the Codes that are to be adopted by this Resolution that when reference is made to the duties of certain officials named therein, that the designated official of Bradley County, who has the corresponding duties to those of the named code official in the Codes, shall be deemed to be the responsible authority to enforce the provisions of these codes; and

WHEREAS, the provisions of this Resolution are declared to be severable, and if any section, subsection, clause, or phrase of this Resolution is declared to be unenforceable by a court of competent jurisdiction, such decision shall not affect the remaining provisions of this resolution, and the Bradley County Commission declares that the remainder of this resolution shall survive such a decision, and it being the intent of the Bradley County Commission that the valid and enforceable provisions of this resolution shall remain in full force and effect.

NOW, THEREFORE, BE IT RESOLVED that this Resolution is adopted and incorporated by reference as fully as if set out verbatim herein, and shall become effective beginning on, **October 31, 2022**, and be enforced in all unincorporated areas of Bradley County, TN and the City of Charleston, TN, and that Resolution 2015-01, be repealed, and if any other laws of Bradley County that are in conflict herewith be repealed, unless more stringent, then the most stringent shall apply.

Adopted this 15th day of August, 2022



Johnny Mull, Chairman



Donna A. Simpson, County Clerk

RATIFIED or VETO:



D. Gary Davis, County Mayor